

FKRS/FKR with damper modul

Fire damper with attached damper modul



TROX[®] TECHNİK

Auranor

TROX Auranor Norge AS

Auranorvegen 6
2770 Jaren

Telefon +47 61 31 35 00

e-post: office-no@troxgroup.com
www.trox.no/en

FKRS/FKR with damper modul



DESIGN

FKRS can also be supplied with damper modules attached. The options available include Aurasafe damper module (available with both 24V and 230V motors), Aurasafe-mini (only 24V), or Belimo BFN230 (also available with MOD-bus, referred to as BFN230-MOD, only 24V).

Examples of FKRS/FKR with attached damper modules can be seen below:



Fig.1, Fire damper with ZX01/ZX02- Aurasafe attached



Fig.2, Fire damper with ZX03- Aurasafe-mini attached




Fig.3, Fire damper with ZX04/ZX05- Belimo BKN/MOD attached

FKRS/FKR with damper modul



ORDER CODE, FKRS



Motor and accessories:

- ZX01= Belimo BFL230-T-ST (230) with Aurasafe damper modul
- ZX02= Belimo BFL24T-ST.1 TR (24V) with Aurasafe damper modul
- ZX03= Belimo BFL24T-ST.1 TR (24V) with Aurasafe-mini damper modul
- ZX04= Belimo BFL24T-ST.1 TR (24V) with Belimo BKN230-24 damper modul
- ZX05= Belimo BFL24T-ST.1 TR (24V) with Belimo BKN230-24-MOD damper modul


Example:

FKRS-160 / ZX02

Explanation:

FKRS dim. Ø160, motor BFL24T-ST.1 TR(24V), with Aurasafe damper modul

ORDER CODE, FKR



Motor and accessories:

- ZX01= Belimo BFN230-T-ST (ø400) with Aurasafe damper modul
= Belimo BF230-TN-ST (ø500-ø800) with Aurasafe damper modul
- ZX02= Belimo BFN24-T-ST-TR (ø400) with Aurasafe damper modul
= Belimo BF24-T-ST-2-TR (ø500-ø800) with Aurasafe damper modul
- ZX03= Belimo BFN24-T-ST-TR (ø400) with Aurasafe-mini damper modul
= Belimo BF24-T-ST-2-TR (ø500-ø800) with Aurasafe-mini damper modul
- ZX04= Belimo BFN24-T-ST-TR (ø400) with Belimo BKN230-24 damper modul
= Belimo BF24-T-ST-2-TR (ø500-800) with Belimo BKN230-24 damper modul
- ZX05= Belimo BFN24-T-ST-TR (ø400) with Belimo BKN230-24-MOD damper modul
= Belimo BF24-T-ST-2-TR (ø500-ø800) with Belimo BKN230-24-MOD damper modul

Example:

FKR-400 / ZX02

Explanation:

FKR dim. Ø400, motor BFN24T-ST-TR(ø400), with Aurasafe damper modul

FKRS/FKR is designed and manufactured by:



The company reserves the right to make amendments without prior notice.

Hovedkontor:
TROX Auranor Norge AS, Auranorvegen 6, 2770 Jaren
Telefon: 61 31 35 00 www.trox.no